















## TECHNICAL SPECIFICATIONS

	LR ICelories VX	70	LDL VOX 204	PEATURES	LE Instantiful	VIIAN	ENI/EDI	COMPOST
OV THE	ретпо.		Deter.	EXTERIOR				Engrapher start
li tipe	Hatchesek		PARPEACE	Eartymatic revenues Ditter				10 to fall seek Ree
They of doors				marriely adjustable 2008	Manual	Danie	Electric	Earth of Jones share
ring capacity				SPON mounted against	1			From State potrey minds
int				Pricer				Pear dair power winds
	K-Garrier Patrol et	UNIVERSE NAME	DOS Deservinges	Betrationed tomps:				Driver side power wind
with:	6197oc		1245cs	Box-coloured door hardise				Auto Bown Scrotian
ther of coloniers	12 12 12 12		The second section	Francing same				Accessed a burdent
the of calver	10.00		Harris St. Market St.	Francing terral basel				Reventable our volter
e a Strake	25nm x 71.5mm		60 Brisin & BÖrrers	prigrent.	Barr	Pales	Store	for passenger
romession ratio	91.01		17.61	Rear log lawy				Cua holder in serve to
mum power	84.3 ps @ 8000 q	per .	75 ps. (0 4000 rpm)	Front I speed - Tred				Titlatia stooting of oak
mumi torque	115 Nm IP 4000 s	-	190 Nm @ 2000 loss	- Planted ager				Pear sections filling
demouse	Multiplant impeditor		ORDI (Common Flat Deept	Black out former 4.4 8 place				Certal marrieting
			ractors .	Green total glass				Farless entry
Renging system	Returnly improve		Fixed geometry labor	Tuesdays sizes				Durt and have protect
			charger with intercoder	105/80 074 steel wheel such				Burnels Sal Life sparse
mon.	860		BIN	10119 (8)				Remote tiers describe
WINNESON				tablic fits etect wheel with				Entrerografic tack
4 15	5.MIT		SMI	- NEwhooling				Suit Sparar
th tipe	DID (Dry Bingle )	Diel	DSD (Dry Single Dist)	125/15 PTS alloy wheel even				Fear window ethicsper
week to color to	3565		3.545	Tellin (a)				Rear reper s modern
u neto- 2nd gew	1,904		1304	INTERIOR				Driver seal height altic
u ratio- tind gener	1.21		1,230	Sports wropersonal fear home				Print seet but should
ratio-4th graf	0.914		0.865	Characteristics				et/see
unalo 5th gear	0.757		0.69	Day and eight WAN				Manual air conditioner
erse geor latio	3.272		3.25	Personger side sends mirror				Automatic climate com
d three sales	4.306		2.544	Sat sate				Lana shanga indicator
ENDICKS				Free spoke spects Meeting				ACOID
glit (mm)		3050		sheet.				States with realis and C
B (MM)		1195		Ellar accords on stearing				instigent speed based
pt (rec)		1530						#destate
reforce (mm)		2400		Frant duar fern payler				Auxilian input and USB
at, hord years		1489/1475 (2)	9700	migh unions glove her				Capacians It hard and
ed, mar (rim)		1405/1405 (2)	(200	Ferrel shelf				2 magrided front toke
und clearation (*	-	170		Fedding associate grip (2)				Contrated steeling or
CMI .				Service				mounted States the Sub
meight (kg)		ZX/ZDL HIBY	040					Rear sports arrients
to vehicle single	Agi			traite chrome door handles.				SAFETY AND SECURIT
		Pens. 1415		Room larry				Revenue parking early
	100	Deset 1505		Map lamp.				New year ABS with \$
WE0				INSTRUMENT PAREL				Driver and passenger
		Verticated disc		Techometer				Bratis asset
		Drum		Perventilister				front seat belt - 2 po
ERING				Oriver seat belt reminder				Rear seat tiel? - a dec
ring tipe		Rack and Fire	on .	Light of Ferninder, Suster				ELR middle tap both
or sheeing type		EPS & TH		Reyolf remoder, busier				Saturity alarm ayelor
sing redies (m)		48		Stein stokure warming lamp				Repristment of little his he
MENDON				Low field marking factors				Front head reament
		MacPherson s	14	Multi priormation display				Rear seat head restri
		Smort Marr		Fuel consumption into				Dealhorn
<b>E</b> 0				(Indentarias)				high mounted ang la
1004			tone), VXI, LDI, VDI), 165/60914	Fuel consumption mis				Side door impain has
		Alley (2%, 20)	1. 19545 R15	(Armeje)				Cere
IL TIME				Trgistameter				
fork expectly co		Febru 43		Cutorita tamperature itapias				
		Thomas: 47		Printed stants				

## EQUIPMENT LIST

PEATURES	LIG Idymenal Life St.	YXI/YBI	EXHAUST	COMPORT	LX Hyteral/LB:	VXI/VBI	28/0
EXTERIOR				Ergretout seet.			
Earthmath resented 5900				10 LD Spill seeks (Reef)			
marraily adjustance DRVM	Manual	Danie	Electric	Excital poversioning			
SPON PROMPT LOS LAP -	0.55			From their person window	1 200		
efore				Peer date power window			
Beginselauted bumper				Driver side power window			
Box-coloured door hardes				auto down function			
Francing same				Accessory suched			
Francing temp benef	Ban	titler	Ster	Retractable our holder			
prignant.	Bath	Ser.	104	No passenger			
Rear leg large				Cua tigidar in partra tomacia			
Front Tapant - Tred				Titalia steeling of an opposi-			
Planetari ugar				Feet rest-bass folding			
Bleck out for an A & B place				Current marrietary			
Green total glass				Fajesserry			
Tuesdays sizes				Direct seed back product			
195/80 PTs steel wheel mith				Remain Set Let appene			
series (a)				Sandatus designer			
fafific first steel of earl with				Entreprintal			
NE sheet cap				Built (gener			
18555 RTS also wheat over				Feer window enhages			
				Rear reparts maches			
INTERIOR				Driver seal height adjuster			
Sports wropersonal feet hims				Promised belt shoulder			
Characteristic or toma				eti-rer			
Day and night (FUH)				Managam conditioner			
Personger eide sents minor				Automotic clampin commit			
(Tak rase)				Lane thenge indepen			
Three tools have thering				ACOID			
sheet.				States with reals and CO states			
Elkar accords on stearing				instigent speed based			
thesi				# de chafe			
Frant depretors poplar				Audien ingulang USB annet			
migh column glock had				Capacitans (Chart and Chase)			
Facotahel				Contemporary from treasures			
Februgansstart grip III				Comment steeling wheel.			
				mounted Sturtooth - Sudic correct			
				Rear sports arrients			
made chrome door handles.				SAFETY AND SECURITY			
Room large				Perens parting sensor			
Map temp				New yet, 185 with \$80		maya.	
INSTRUMENT PANEL				Driver and passenger airbags			
Tachometer				Brain source		ma vo	
manyward cluster				Front seat bolt - 2 point ELS			
Driver and helt reminder				Pear seat belt - a deal (govern			
Light of Ferninder Suster				ELR mobile tay bed:			
Payoff reminder, butter				Security place average			
Story (topula narring lang				Read door until looks			
Loss field marking factor				Front heed restraint			
Multi programation dingles				Reprised head restraint			
Fuel consumption into Smilenteneousl				Builtions High mountail long lamp			
fuel consumption mis							
[Alexage]				Sits their impaint beams			
Trelationaler				Care			
Outside temperature display							
Digital stank							













GLISTENING GREY





FIRE RED GRANITE GREY

MYSTERIOUS VIOLET









At the features organ in this boothure may very from remark to varient. Colours shown may very from actual body relocut due to renting un grape. O Optional features inventional are part of the safting package. ADS with EDD is shareful of the VD varient.